

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(rds or (running adj digital)) near4 (two adj (codewords or code)) adj5 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:11
L2	0	(rds or (running adj digital)) near4 ((first adj3 second) adj3 (codewords or code)) adj5 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:12
L3	2	(rds or (running adj digital) or disparity) near4 ((first adj3 second) adj3 (codewords or code)) adj5 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:13
L4	2	(rds or (running adj digital) or disparity) near5 ((first adj3 second) adj3 (codewords or code)) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:23
L5	2	(rds or (running adj digital) or disparity\$3) near5 ((first adj3 second) adj3 (codewords or code)) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:13
L6	2	(rds or (running adj digital) or disparity\$3) near5 ((first adj5 second) adj3 (codewords or code)) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:14
L7	6	(rds or (running adj digital) or disparity\$3) near5 (((first adj5 second) or group) adj3 (codewords or code)) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:14
L8	9	(rds or (running adj digital) or disparity\$3) near5 (((first adj5 second) or group or block) adj3 (codewords or code)) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:20

L9	16	(rds or (running adj digital) or disparit\$3) near5 (((first adj5 second) or group or block or N or k or two or adjacent or consecutive or successive) adj3 (codewords or code)) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:24
L10	473	(precod\$3 or (pre adj cod\$3)) adj5 cod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:22
L11	91	10 and "341"/((58-59).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:22
L12	900	(rds or (running adj digital) or disparit\$3) near5 (((first adj5 second) or group or block or N or k or two or adjacent or consecutive or successive) or (digital adj sum) or cds or dsv) adj7 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:25
L13	0	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	1890	(consecutive or adjacent or successive or two or (first adj3 second)) adj4 (codeword or code) near5 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:56
S9	0	(running adj disparity) near5 S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:53
S10	0	(running adj disparity) near5 ((first adj5 second) adj3 (codeword or code)) near5 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:53
S11	2696	number adj3 ("1" or one\$1) near3 (zero\$2 or "0") near4 (identical or equal or "same")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:55
S12	341	(zero or neutral) near4 disparity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:56
S13	51946	(consecutive or adjacent or successive or two or (first adj3 second)) adj4 (codeword or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:56
S14	26	S13 with (S11 or S12)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:10
S15	56194	(dsv or (digital adj2 (codeword or sum)) or cds or rd or (running adj disparity)) near5 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:10